






KIGO standard

Suspente rapide / Schnellabhänger



by ENERGIE SOLAIRE SA

KIGO



08.20.15RD.GRAISSE



08.20.15RD.01.03



08.03.01.RD04.1




08.03.01.RD04.9.IIII



08.03.01.RD04.SR.SANSTIGE




08.03.00.RD06



08.20.15RD.01.02

08.20.15RD.09



08.20.15RD.05



08.20.15RD.01.01



08.20.15RD.01.MF





OPTION

01.04.TS13.3

05.09.06.STAB.1/2" _120



08.20.15RD.06




08.05.RD15.III

08.20.15RD.L.W.X


1




2







3





4



5



6




08.20.15RDL.W.X




4x

7



8



9

Distance type [cm]
Typische Abmasse [cm]
Typical distance [cm]

08.20.15RD.01.MF

10

08.20.15RD.GRAISSE

O-Ring silicon grease

22mm


22mm

crack !


max 2mm

i

11



12



14

SICC BT 102 01

VDI 2035

$> 120 \text{ sec} \times 400 \text{ l/h}$

3 bar max !


15




2bar



ok?







Contact :

KIGO

Energie Solaire SA

ZI Ile Falcon

Rue des Sablons 8

Case postale 353

CH-3960 Sierre

Tél.: +41 27 451 13 20

Fax: +41 27 451 13 29

info@kigo-swiss.com

www.kigo-swiss.com